

Computer Corner, Inc.

4410 Menaul NE, Albuquerque, NM 87110

505-881-2333 Outside Alb - 1-800-873-7295

Contact: Carole Petranovich: carole@compcorner.com

SPD# 70-000-00-04006 Please see PDF: Ordering Process to Order

HP Server Configuration 1 (1 U Servers)

REV Date (1/10/07)

quote 1126337

Base Model	
OEM	HP
Model Name	DL360G5 SAS BUNDLE
SKU#	399524-B21
Base Price (Government)	\$2,714.00
Base Price (Education)	\$2,714.00

Product Attribute	Base Specs
Number of U's	1U
Chassis	Rack
Max # of Processors	8 (2 processor sockets supporting Quad Core)
Included # of Processors	2 processors (dual core) using single socket
Processor Speed	1 X Dual Core Intel Xeon 5120 (1.86GHz, 1066 FSB) *
L2 Cache size	4MB Cache
Max Memory	32GB
Included Memory	2GB
Included Hard Drives (SCSI)	2 X 72GB HOT PLUG 2.5 SAS 10K RPM
Hard Drive Speed	10K RPM - Faster Access, >MTBF than SCSI
Max Internal Capacity	876 GB
# Drive Bays	1 slim line multibay / 6 HDD
# External Bays	6
Primary Controller	Smart Array P400i/256
Network card	10/100/1000 Dual on board NICs
Fixed Optical Device	DVD ROM Drive
Optical Device Speed	8X/24X
Hot Plug Power Supply	Dual, Redundant AC power supplies
Number of PCI Slots	2 PCI Express (1 full height, 1 low profile)
Number of Serial Ports	1
Number of Parallel Ports	None (4 USB Ports)
Remote Management Card	included, also new industry embedded power meter
Operating System	None
Deployment Rails	Rails
Warranty	3 YR Parts & Labor, NBD onsite

* This is a dual core processor

PLEASE NOTE:

Additional Options are in addition to base standard systems. For example: If the standard system comes with a cdrom and the end user needs a CDRW drive, the system will keep the CDROM drive and get a CDRW drive in the 2nd drive bay. All additional Options may require agencies CIO approval for purchase. Remove and Replace (R&R) will extend delivery times since the system is configured to order.

Additional Options	\$ (+ or -) Change to Base Price
Additional Hard Drive (up to 4 SAS drives supported)	
Add 72GB Hot Plug 2.5 SAS 10K RPM(375861-B21)	\$250.00
Add 146GB Hot Plug 2.5 SAS 10K RPM(431958-B21)	\$334.00
Additional Warranty	
Add Warranty 3YR 4HR 13 X 5 (U4496E)	\$316.00
Add Warranty 3YR 4HR 24X7 (U4497E)	\$435.00
Miscellaneous Options	
Add redundant AC power supply (399542-B21)	\$207.00
External Ultrium 460 Tape Backup - Full Height - 3U Rack (350546-B22)	\$2,719.00
Server Management Enhancements:	
ProLiant Essentials-Server Migration 10 servers (39073)	\$680.00
ProLiant Essentials-Vulnerability/Patch Mgmt (371645-E)	\$82.00
Remove and Replace (R&R) Upgrade Options	
R&R Single dual 1.86GHz proc w/ Dual 1.86GHz proc.	\$449.00
R&R Single 1.86GHz proc w/ Dual 2.0GHz proc. (4165)	\$637.00
R&R Single dual 1.86GHz proc w/ Single Quad 1.6GHz	\$394.00
R&R Single dual 1.86GHz proc w/ Dual Quad 1.6GHz	\$1,167.00
R&R 2GB w/ 4GB (2X2GB) memory (397413-B21)	\$412.00
R&R 2GB w/ 8GB (4x2GB) memory (397413-8GB)	\$1,553.00
R&R DVD w/ DVD RW (383975-B21)	\$48.00

Other memory upgrades available upon request

HP Power Meter and Power Regulator for ProLiant, delivering integrated power monitoring and server level, policy based power management with industry leading energy efficiency and savings on system power and cooling costs

Computer Corner, Inc.

4410 Menaul NE, Albuquerque, NM 87110

505-881-2333 Outside Alb - 1-800-873-7295

Contact: Carole Petranovich: carole@compcorner.com

SPD# 70-000-00-04006 Please see PDF: Ordering Process to Order

HP Server Configuration 2 (2 U Servers)

REV Date (1/10/07)

Quote: 1125264

Base Model	
OEM	HP
Model Name	DL380G5 SAS BUNDLE
SKU#	391835-B21
Base Price (Government)	\$3,504.00
Base Price (Education)	\$3,504.00

Product Attribute	Base Specs
Number of U's	2U
Chassis	Rack
Max # of Processors	8 (2 processor sockets supporting Quad Core)
Included # of Processors	4 processors (dual core) using both sockets
Processor Speed	2 X Dual Intel Xeon 5130 (2.00GHZ, 1333 FSB) *
L2 Cache size	2MB
Max Memory	32GB
Included Memory	2GB PC2-5300 (2 X 1GB)
Included Hard Drives (SCSI)	2 X 72GB HOT PLUG 2.5 SAS 10K RPM
Hard Drive Speed	10K RPM - Faster Access, >MTBF than SCSI
Max Internal Capacity	1168GB
# Drive Bays	1FDD/1CD/8HDD
# External Bays	8
Primary Controller	SMART ARRAY P400/256 PCIE CONTROLLER
Network card	10/100/1000 Dual on board NICs
Fixed Optical Device	DVD+RW Drive
Optical Device Speed	8X
Hot Plug Power Supply	Redundant AC power supply / Fans
Number of PCI Slots	4 PCI Express
Number of Serial Ports	1
Number of Parallel Ports	none (4 USB ports)
Remote Management Card	included, also new industry embedded power meter
Operating System	None
Deployment Rails	Rails
Warranty	3 YR Parts & Labor, NBD

* This is a dual core processor

PLEASE NOTE:

Additional Options are in addition to base standard systems. For example: If the standard system comes with a cdrom and the end user needs a CDRW drive, the system will keep the CDRW drive and get a CDRW drive in the 2nd drive bay. All additional Options may require agencies CIO approval for purchase. Remove and Replace (R&R) will extend delivery times since the system is configured to order.

Additional Options	\$ (+ or -) Change to Base Price
Additional Hard Drive (up to 8 SAS drives supported)	
Add 72GB Hot Plug 2.5 SAS 10K RPM(375861-B21)	\$250.00
Add 146GB Hot Plug 2.5 SAS 10K RPM(431958-B21)	\$334.00
Additional Warranty	
Add Warranty 3YR 4HR 13 X 5 (U4544E)	\$497.00
Add Warranty 3YR 4HR 24X7 (U4545E)	\$750.00
Miscellaneous Options	
External Ultrium 460 Tape Backup - Full Height - 3U Ra	\$2,719.00
Server Management Enhancements:	
ProLiant Essentials-Server Migration 10 servers (39073	\$680.00
ProLiant Essentials-Vulnerability/Patch Mgmt (371645-E	\$82.00
Remove and Replace (R&R) Upgrade Options	
R&R Dual Dual 2.0GHz proc w/ Dual dual 2.33GHz proc	\$205.00
R&R Dual 2.0GHz proc w/ Dual Dual 2.66GHz proc. (4	\$697.00
R&R Dual Dual 2.0GHz proc w/ Dual Dual Core 3.0GH	\$1,025.00
R&R Dual Dual 2.0GHz proc w/ Dual Quad 1.60GHz pr	\$484.00
R&R Dual Dual 2.0GHz proc w/ Dual Quad Core 1.86G	\$1,026.00
R&R 2GB w/ 4GB (2 X 2GB) memory (397413-B21)	\$412.00
R&R 2GB w/ 6GB (6 X 1GB) memory (397411-6GB)	\$993.00
R&R 2GB w/ 8GB (4 X 2GB) memory (397413-8GB)	\$1,553.00

HP Power Meter and Power Regulator for ProLiant, delivering integrated power monitoring and server level, policy based power management with industry leading energy efficiency and savings on system power and cooling costs

Computer Corner, Inc.
4410 Menaul NE, Albuquerque, NM 87110
505-881-2333 Outside Alb - 1-800-873-7295
Contact: Carole Petranovich: carole@compcorner.com

SPD# 70-000-00-04006 Please see PDF: Ordering Process to Order

HP Server Configuration 3 (Tower)

REV Date (1/10/07)

Quote: 1151925

Base Model	
OEM	HP
Model Name	ML350 G5 SFF Tower
SKU#	395570-RBT
Base Price (Government)	\$1,815.00
Base Price (Education)	\$1,815.00

Product Attribute	Base Specs
Number of U's	2U
Chassis	Tower
Max # of Processors	8 (2 processor sockets supporting Quad Core)
Included # of Processors	2 processors (dual core) using one socket
Processor Speed	1X Dual Intel Xeon 5050 (3.00GHZ, 667Hz FSB) *
L2 Cache size	4MB (2 x 2MB) Level 2 cache (5000 series)
Max Memory	32GB (8x4GB kits)
Included Memory	1GB
Included Hard Drives (SCSI)	2 X 36GB (SAS - Serial Attached SCSI)
Hard Drive Speed	10K RPM
Max Internal Capacity	
# Drive Bays	Eight SFF (2.5") (shown) or six LFF (3.5") SAS or SATA Hot Plug drive bays
# External Bays	1
Primary Controller	HP Smart Array w/256 Battery Backed Cache
Network card	Embedded NC373i Multifunction Gigabit Server Adapter with TCP/IP Offload Engine
Fixed Optical Device	16X DVD ROM
Optical Device Speed	8x
Hot Plug Power Supply	800 Watt-CE Mark Compliant Hot Plug Power Supply (1000 Watt high line) Optional second Power Supply provides redundant capability
Number of PCI Slots	Six expansion slots (three PCI Express, three PCI-X)
Number of Serial Ports	1
Number of Parallel Ports	1
Remote Management Card	Included - Integrate Lights Out 2(iLO2)
Operating System	None
Deployment Rails	None
Warranty	3 YR Parts & Labor, NBD

* This is a dual core processor

Additional Options	\$ (+ or -) Change to Base Price
Additional Hard Drive (up to 8 SAS drives supported)	
Add 72GB Hot Plug 2.5 SAS 10K RPM(375861-B21)	\$250.00
Add 146GB Hot Plug 2.5 SAS 10K RPM(431958-B21)	\$334.00
Additional Warranty	
Add Warranty 3YR 4HR 13 X 5 (U4512E)	\$236.00
Add Warranty 3YR 4HR 24X7 (U4513E)	\$355.00
Miscellaneous Options	
External Ultrium 460 Tape Backup - Full Height - 3U Rack	\$2,719.00
Server Management Enhancements:	
Proliant Essentials-Server Migration 10 servers (39073)	\$680.00
Proliant Essentials-Vulnerability/Patch Mgmt (371645-B)	\$82.00
Remove and Replace (R&R) Upgrade Options	
R&R Dual 3.0GHz proc w/ Dual dual 3.0Ghz proc. (409)	\$286.00
R&R Dual 3.0GHz proc w/ Dual Dual 3.2GHz proc. (40)	\$881.00
R&R Dual Dual 3.0GHz proc w/ Dual Dual Core 3.0GH	\$1,025.00
R&R Dual Dual 3.0GHz proc w/ Dual Quad 1.60GHz pr	\$463.00
R&R Dual Dual 3.0GHz proc w/ Dual Quad Core 1.6GH	\$1,075.00
R&R 1GB w/ 2GB (2 X 1GB) memory (397411-B21)	\$156.00
R&R 1GB w/ 4GB (2 X 2GB) memory (397411-4GB)	\$695.00
R&R 2GB w/ 8GB (4 X 2GB) memory (397413-8GB)	\$1,709.00

PLEASE NOTE:

Additional Options are in addition to base standard systems.

For example: If the standard system comes with a cdrom and the end user needs a CDRW drive, the system will keep the CDROM drive and get a CDRW drive in the 2nd drive bay. All additional Options may require agencies CIO approval for purchase. Remove and Replace (R&R) will extend delivery times since the system is configured to order.

Computer Corner, Inc.
4410 Menaul NE, Albuquerque, NM 87110
505-881-2333 Outside Alb - 1-800-873-7295
Contact: Carole Petranovich: carole@compcorner.com

SPD# 70-000-00-04006 Please see PDF: Ordering Process to Order

HP Server Configuration 4 (Blade)

REV Date (1/10/07)

Quote: 1156252

Base Model	
OEM	HP/Compaq
Model Name	HP Blade 460c
SKU#	404667-B21 Plus/UE459E/UE493E
Base Price (Government)	\$8,180.00
Base Price (Education)	\$8,180.00

Product Attribute	Base Specs
Number of U's	16- 1/2 ht blades fit in 10U BLc7000 enclosure
Chassis	Rack
Max # of Processors	8 (2 processor sockets supporting Quad Core)
Included # of Processors	2 processors (dual core) using one socket
Processor Speed	Dual Core Intel® Xeon® 5110 (1.60GHz, 1066 FSB)
L2 Cache size	1x4MB Level 2 cache memory
Max Memory	32 GB (8 x 4 GB)
Included Memory	HP 8GB Fully Buffered DIMM PC2-5300 4X2GB
Included Hard Drives (SCSI)	HP 72GB Hot Plug 2.5 SAS
Hard Drive Speed	10,000 rpm Hard Drive
Max Internal Capacity	2
# Drive Bays	2
# External Bays	Two (2) additional I/O expansion slots via mezzanine card
Primary Controller	Smart Array E200i SAS RAID Controller w/128MB cache
Network card	2 Integrated Gigabit Ethernet NIC ports plus (1) additional 10/100 NIC dedicated to iLO 2 Management
Fixed Optical Device	N/A
Optical Device Speed	N/A
Hot Plug Power Supply	N/A - Power supplies are housed in c7000 Enclosure

Additional Options	\$ (+ or -) Change to Base Price
Enclosure and Options	
HP BLc7000 Mod-X Enclosure (412152-B21) - holds up to 6 PS, 10 Fans -includes config charge	\$2,839.00
HP BLc7000 Encl Pwr Sply IEC320 Option (412138-B21)	\$190.00
HP Active Cool Fan Option Kit (412140-B21) up to 10 g	\$114.00
HP BLc7000 3 PH NA/Jp FIO Power Mod Opt (413380)	\$144.00
HP BLc7000 FIO 16 Insight Ctrl License (417688-B21)	\$1,775.00
Must - send config requirements on Blades to karen.golden@hp.com for configuration verification	
Server Management Enhancements - Single server Licences listed - Multi is available	
ProLiant Essentials-Server Migration 10 servers (39073)	\$680.00
ProLiant Essentials Accelerated iSCSI Pack, Single License (407484-B22)	\$68.00
ProLiant Essentials Server Migration Pack, Single-Migration License NOTE: License allows 1 server to be migrated from a physical server to a virtual machine. Or this license can be used to migrate a virtual machine from one virtualization layer i.e. VMware GSX to a different virtualization layer such as VMware ESX or Microsoft Virtual Server 2005.(435663-B21)	\$68.00
ProLiant Ess. Server Migration Pk - Physical to ProLiant	\$137.00
ProLiant Ess Workload Mgmt Pk, (303284-B21)	\$342.00
ProLiant Ess Virtual Machine Mgmt Pk, Single-Server L	\$342.00
ProLiant Ess-Vulnerability/Patch Mgmt (371645-B21)	\$82.00
HP iLO Power Mgmt Pack, (436210-B21)	\$274.00
Upgrade Options: Others Available	
2XQuad-Core Intel Xeon proc X5355 (2.66 GHz, 1333 FSB) Kit, FIO (435565-L21 & B21)	\$3,430.00
2XQuad-Core Intel Xeon proc E5345 (2.33 GHz, 1333 FSB)Kit, FIO (435564-L21& B21)	\$2,474.00
2XQuad-core Intel Xeon Proc E5310 (1.6GHz, 1066 FSB) FIO (435562-L21&B21)	\$1,033.00
2XDual-Core Intel Xeon proc 5160 (3.0 GHz, 1333FSB)	\$2,300.00
Dual-Core Intel Xeon proc 5140 (2.33 GHz 1333 FSB) Kit, FIO (416658-L21&B21)	\$1,255.00
32GB Fully Buffered Dimms PC2-5300 8 x 4GB (3974)	\$27,324.00
8 GB FBD PC2-5300 2 x 4 GB Kit (397415-B21)	\$5,678.00

Computer Corner, Inc.

4410 Menaul NE, Albuquerque, NM 87110

505-881-2333 Outside Alb - 1-800-873-7295

Contact: Carole Petranovich: carole@compcorner.com

SPD# 70-000-00-04006 Please see PDF: Ordering Process to Order

Fibre Channel Host Bus Adapter	QLogic QMH2462 4Gb FC HBA for HP c-Class BladeSystem	R&R 72GB 10K drives and add 2 x HP 146GB 3G SAS 10K SFF SP HDD (431958-B21)	\$208.00
Number of PCI Slots	N/A	R&R 72GB 10K drives and add 2 x HP 72GB 3G SAS 15K SFF SP HDD (431935-B21)	\$336.00
Number of USB ports	One (1) internal USB 2.0 connector for security key devices and USB drive keys	Remove Qlogic and use Emulex LPe1105 FC Dual Channel 4Gb, PCI-E-to-Fibre Channel Host Bus Adapter (403621-B21)	No price change
Remote Management Card	Integrated Lights-Out 2 (iLO 2) Standard Blade Edition (includes virtual KVM and graphical remote console at no additional cost)	HP StorageWorks SB40c Storage Blade (411243-B21)	
Operating System	Windows Server 2003 R2, Enterprise Edition w/ 25 calcs	HP Cisco Catalyst Blade Switch 3020 (410916-B21) - usually added in pairs - installed in Enclosure	\$3,328.00
Deployment Rails	None	HP Brocade 4/12 San Switch (AE370A)	\$4,799.00
Warranty	HP Care Pack 3-year, 4-hour, 24x7 c-Class Server Blade Hardware Support	Various Support/Installation services available to meet your needs	

* This is a dual core processor